

# CERTIFICATE

Issued to:  
Applicant:  
**Jetion Solar (China) Co., Ltd.**  
No. 1011, Zhencheng Rd., Shengang Industrial  
District,  
214443 Jiangyin City Jiangsu, China

Licensee:  
**Jetion Solar (China) Co., Ltd.**  
No. 1011, Zhencheng Rd., Shengang Industrial  
District,  
214443 Jiangyin City Jiangsu, China

Product : Photovoltaic (PV) Module(s)  
Trade name(s) : Jetion Solar  
Type(s)/model(s) : PV module with mono c-Si cells

The product and any acceptable variation thereof as specified in the Annex to this certificate and the documents referred to therein.

DEKRA hereby declares that the above-mentioned product has been certified based on:

- an evaluation according to the standard(s) IEC 62716:2013 and EN 62716:2013
- a periodic surveillance
- a DEKRA certification agreement with the number 6059520

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : Ammonia Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 7 July 2024 and expires at the latest on 28 June 2026.

Certificate number: 31-119615 REV.3

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-119615

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Photovoltaic (PV) Module(s)
Trade name(s)	: Jetion Solar
Type(s)/model(s)	: JTxxxSEh(1500), JTxxxSFh(1500), JTxxxSGh(1500), JTxxxSHh(1500), JTxxxSlk(B), JTxxxSlT(B), JTxxxSJh(B), JTxxxSJk(B), JTxxxSJt(B), JTxxxSLk(B), JTxxxSLt(B), JTxxxSNk(B), JTxxxSRt(B), JTxxxSSh(B), JTxxxSSt(B), JTxxxSYk(B), JTxxxSZk(B) and JTxxxSlh(B)
Maximum system voltage	: 1500V

**Product data – type JTxxxSEh(1500)**

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=390-415W, in steps of 5, 108 cells

**Product data – type JTxxxSFh(1500)**

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=480-505W, in steps of 5, 132 cells

**Product data – type JTxxxSGh(1500)**

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=430-450W, 520-550W, in steps of 5, 144 cells

**Product data – type JTxxxSHh(1500)**

Design	: PV module with mono c-Si cells (backsheet module)
Description	: xxx=355-375W, 435-460W, in steps of 5, 120 cells

**Product data – type JTxxxSlk(B)**

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=620-650W, in steps of 5, 120 cells

**Product data – type JTxxxSlT(B)**

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=460-480W, in steps of 5, 120 cells

**Product data – type JTxxxSJh(B)**

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=390-415W, in steps of 5, 108 cells

**Product data – type JTxxxSJk(B)**

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=570-590W, in steps of 5, 108 cells

**Product data – type JTxxxSJt(B)**

Design	: PV module with mono c-Si cells (double-glass module)
Description	: xxx=410-430W, in steps of 5, 108 cells

**Product data – type JTxxxSlh(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=355-380W, 435-460W, in steps of 5, 120 cells

**Product data – type JTxxxSLh(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=475-505W, in steps of 5, 132 cells

**Product data – type JTxxxSLk(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=680-720W, in steps of 5, 132 cells

**Product data – type JTxxxSLt(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=500-525W, in steps of 5, 132 cells

**Product data – type JTxxxSNk(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=505-525W, in steps of 5, 96 cells

**Product data – type JTxxxSRt(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=610-640W, in steps of 5, 156 cells

**Product data – type JTxxxSSh(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=430-455W, 520-555W, in steps of 5, 144 cells

**Product data – type JTxxxSSt(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=555-590W, in steps of 5, 144 cells

**Product data – type JTxxxSYk(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=420-440W, in steps of 5, 80 cells

**Product data – type JTxxxSZk(B)**

Design : PV module with mono c-Si cells (double-glass module)  
Description : xxx=570-600W, in steps of 5, 110 cells

**TESTS****Test requirements**

IEC 62716:2013  
EN 62716:2013

**Test result**

The test results are documented in DEKRA test file 618993600.

**Additional information**

This certificate replaces certificate No. 31-119615 REV.2 which we hereby declare invalid.

The list of components is laid down in test report 6189936A.50A and 6189936A.50B.

**Conclusion**

The examination has confirmed that all requirements were met.

**Factory locations**

Junfeng Solar (Jiangsu) Co., Ltd.  
No.20, 21 Group, Tangang Village, Haian Industry Park  
226600 Haian City Jiangsu, China

Jetion Solar (TongCheng) Co., Ltd.  
3 North Road, Tongcheng Economic Development Zone  
231400 Tongcheng City Anhui, China

Trade name(s): Jetion Solar stands for



Unique Identifier

